



WILDFOWL

Supplement Number 1

Third IWRB International Swan Symposium

Oxford, England 9-13 December 1989
EDITED by JANE SEARS and PHILIP J. BACON

This publication should be cited as follows:
J. Sears, and P. J. Bacon (Eds.) 1991. Proc. Third IWRB International Swan Symposium, Oxford 1989. WILDFOWL - Supplement No. 1.

Published by The Wildfowl & Wetlands Trust and the International Waterfowl and Wetlands Research Bureau, Slimbridge 1991.

Convened by:

The International Waterfowl and Wetlands Research Bureau

In Cooperation with:

Edward Grey Institute, U.K.

Natural Environment Research Council, U.K.

Polish Academy of Science, Poland

Soviet Ornithological Society, U.S.S.R.

Swan Society of Japan, Japan

Trumpeter Swan Society, U.S.A.

U.S. Fish and Wildlife Service, U.S.A.

Research Institute of Nature Conservation and Reserves, U.S.S.R.

The Wildfowl & Wetlands Trust, U.K.

With Generous Grants from:

Anglian Water Services Ltd

N.R.A. - Northumbrian Region

The Royal Society

N.R.A. - Thames Region

The Water Research Centre

The Worshipful Company of Dyers

The Worshipful Company of Vintners

Cover painting

Bewick's Swans *Cygnus columbianus bewickii*

by Sir Peter Scott.

Line illustrations

by Joe Blossom, Robert Gillmor,

Sir Peter Scott and Dafila Scott.

Editorial Address: The Wildfowl & Wetlands Trust,
Slimbridge, Gloucester, GL2 7BT, UK.

Text set in 9/10 Times Roman, printed and bound by
Orchard & Ind Ltd., Northgate Street, Gloucester GL1 1SP, UK.

Contents

Editorial	6
A Synthesis of the Symposium (<i>Susan L. Earnst</i>)	7
Comparative demography of swan species (<i>Jonathan Bart, Susan Earnst and Philip J. Bacon</i>)	15
SECTION 1: DISTRIBUTION AND STATUS	
Population trends of the Mute Swan <i>Cygnus olor</i> in the Palearctic (<i>M. Wieloch</i>)	22
The status and distribution of the Mute Swan <i>Cygnus olor</i> in the USSR: A review of recent censuses (<i>G. A. Krivonosov</i>)	33
Status of the Mute Swan, <i>Cygnus olor</i> and the Whooper Swan <i>C. cygnus</i> in Silesia, Southwest Poland (<i>A. Czapulak</i>)	39
Dynamics and age structure of wintering Mute Swans <i>Cygnus olor</i> in South Eastern Poland (<i>A. Jozkowicz & K. Walasz</i>)	44
Recent status of Mute Swans <i>Cygnus olor</i> in the Ukraine, USSR (<i>A. I. Korzyukov, A. I. Koshelev & V. V. Serebryakov</i>)	49
Numbers and distribution of Mute Swans <i>Cygnus olor</i> Whooper Swans <i>C. cygnus</i> and Bewick's Swans <i>C. bewickii</i> in the Black Sea area of the Ukraine, USSR (<i>T. B. Ardamatskaya & A. I. Korzyukov</i>)	53
The distribution and status of Bewick's Swan <i>Cygnus bewickii</i> , Tundra Swan <i>C. columbianus</i> and Whooper Swan <i>C. cygnus</i> in the extreme northeast of the USSR (<i>A. Ya. Kondratiev</i>)	56
Distribution and numbers of Bewick's Swans <i>Cygnus bewickii</i> in the European North East of the USSR (<i>Yu. N. Mineyev</i>)	62
Number and distribution of Mute Swans <i>Cygnus olor</i> , Bewick's Swans <i>C. bewickii</i> and Whooper Swans <i>C. cygnus</i> in the West Siberian plain (<i>Yu. S. Ravkin</i>)	68
Numbers, distribution and breeding success of Whooper Swans <i>Cygnus cygnus</i> and Mute Swans <i>C. olor</i> in central Kazakhstan, USSR, in 1985 and 1987 (<i>V. G. Vinogradov & E. M. Auezov</i>)	73
The current status of Whooper Swans <i>Cygnus cygnus</i> and Bewick's Swans <i>C. bewickii</i> populations in Prichankayskaya Lowland, USSR (<i>Y. N. Glushenko & V. N. Bocharnikov</i>) ..	77
Winter distribution of Tundra Swans <i>Cygnus columbianus</i> breeding in Alaska and Western Canadian Arctic (<i>R. J. Limpert, W. J. L. Sladen & H. A. Allen</i>)	78
The status of Trumpeter Swans <i>Cygnus buccinator</i> wintering on Vancouver Island, British Columbia, Canada, in 1989 (<i>R. W. McKelvey, R. G. Davies & K. Morrisson</i>)	84
Demography of Black-necked Swans <i>Cygnus melancoryphus</i> in three Chilean wetland areas (<i>R. Schlatter, J. Salazar, A. Villa & J. Meza</i>)	88
SECTION TWO: POPULATION STUDIES	
Survival rates of young Mute Swans <i>Cygnus olor</i> (<i>C. M. Perrins</i>)	95
Factors affecting the number of pairs and breeding success of Mute Swans <i>Cygnus olor</i> in an area of South Staffordshire, England, between 1961 and 1985 (<i>A. E. Coleman, C. D. T. Minton & J. T. Coleman</i>)	103
Between year variation and causes of mortality in the non-breeding population of the Mute Swan <i>Cygnus olor</i> in the Netherlands, with special reference to hunting (<i>H. Esselink</i>)	110
Population size, breeding success and distribution of Bewick's Swans <i>Cygnus columbianus bewickii</i> wintering in Europe in 1986-87 (<i>S. Dirksen & J. H. Beekman</i>)	120
Continuity and advancement of Trumpeter Swan <i>Cygnus buccinator</i> and Tundra Swan <i>C. columbianus</i> population monitoring in Alaska (<i>B. Conant, J. I. Hodges & J. G. King</i>) ..	125
Whooper Swan <i>Cygnus c. cygnus</i> population dynamics in Finland (<i>A. Haapanen</i>)	137
Demographic analyses of a Trumpeter Swan <i>Cygnus cygnus buccinator</i> population in Western USA (<i>C. D. Mitchell, R. Shea, D. C. Lockman & J. R. Balcomb</i>)	142
Population dynamics of Mute Swans <i>Cygnus olor</i> in the Outer Hebrides, Scotland (<i>C. J. Spray</i>)	143

SECTION THREE: BREEDING

Breeding performance of an Irish Mute Swan <i>Cygnus olor</i> population (R. Collins)	144
An analysis of Mute Swan <i>Cygnus olor</i> breeding data (P. Walter, P. J. Bacon & J. Sears)	151
Mute Swans <i>Cygnus olor</i> breeding in the Volga Delta, USSR (G. A. Krivososov)	157
The breeding ecology of the Mute Swan <i>Cygnus olor</i> in Poland - preliminary report (A. Czapulak & M. Wieloch)	161
Breeding biology of Bewick's Swans <i>Cygnus bewickii</i> in Chukota, Far Eastern USSR (A. Ya. Kondratiev)	167
Population status and productivity of Tundra Swans <i>Cygnus columbianus</i> in North America (J. R. Serie & J. C. Bartonek)	172
Demography of Eastern population Tundra Swans <i>Cygnus columbianus</i> (J. Bart, R. Limpert, S. Earnst, W. J. L. Sladen, J. Hines & T. Rothe)	178
Lifetime reproductive success of Mute Swans <i>Cygnus olor</i> in Denmark (P. Andersen-Harrild & P. J. Bacon)	185
Dispersion dynamics of breeding Mute Swans <i>Cygnus olor</i> in North West Germany (E. R. Scherner)	186
The breeding success of Whooper Swans <i>Cygnus cygnus</i> nesting in upland and lowland regions of Iceland - a preliminary analysis (E. C. Rees, J. M. Black, C. J. Spray & S. Thorisson)	187
Factors affecting breeding success in Bewick's Swans <i>Cygnus bewickii</i> (D. K. Scott)	188

SECTION FOUR: MIGRATION

Movements of Whooper Swans <i>Cygnus cygnus</i> neckbanded in Iceland (A. Gardarsson)	189
Bimodality of spring migration of the Whooper Swan <i>Cygnus cygnus</i> in Finland (A. Haapanen & H. Hautala)	195
Eurasian Whooper Swan <i>Cygnus cygnus</i> migration with particular reference to birds wintering in Southern Sweden (S. Mathiasson)	201
Distribution within the USSR of Bewick's Swans <i>Cygnus columbianus bewickii</i> marked in Britain (E. C. Rees)	209
Present status of Mute Swans <i>Cygnus olor</i> , Whooper Swans <i>C. cygnus</i> and Bewick's Swans <i>C. bewickii</i> wintering in the Eastern Baltic region (A. Kuresoo)	214
The migration of swans <i>Cygnus</i> spp., in the Ukraine, USSR (V. V. Serebryakov, V. N. Grishchenko & A. M. Poluda)	218
Migration of Bewick's Swans <i>Cygnus bewickii</i> and Whooper Swans <i>C. cygnus</i> wintering in Japan through Sakhalin Island and adjacent territories, USSR. (V. A. Ostapenko)	224
Scandinavian/Baltic Mute Swans <i>Cygnus olor</i> in the Netherlands: movements under the influence of severe winter weather and their consequences (S. Dirksen & H. Esselink)	227

SECTION FIVE: HABITATS, FOOD AND FEEDING

Bewick's Swans <i>Cygnus bewickii</i> in the Netherlands: numbers, distribution and food choice during the wintering season (S. Dirksen, J. H. Beekman & T. H. Slagboom)	228
Bewick's Swans <i>Cygnus columbianus bewickii</i> utilising the changing resource of <i>Potamogeton pectinatus</i> during the autumn in the Netherlands (J. H. Beekman, M. van Eerden & S. Dirksen)	238
Feeding activities of Bewick's Swans <i>Cygnus columbianus bewickii</i> at a migratory site in the Estonian SSR (E. C. Rees & J. M. Bowler)	249
Whooper Swan <i>Cygnus cygnus</i> egg production in different nesting habitats in Finland (A. Ohtonen & K. Huhtala)	256
Costs and benefits of extended parental care in Tundra Swans <i>Columbianus columbianus</i> <i>columbianus</i> (S. L. Earnst & J. Bart)	260
Reproductive biology of Black-necked Swans <i>Cygnus melancoryphus</i> at three Chilean wetland areas and feeding ecology at Rio Cruces (R. P. Schlatter, J. Salazar, A. Villa & J. Meza) ..	268
Black-necked Swan <i>Cygnus melancoryphus</i> and Coscoroba Swan <i>Coscoroba coscoroba</i> in a wetland in Uruguay (R. Vaz-Ferreira & F. Rilla)	272
Distribution of Whooper Swans <i>Cygnus cygnus</i> in Britain and Ireland in relation to habitat type and flock social structure (J. M. Black, D. G. Salmon & M. Bell)	278

WILDFOWL Supplement Number 1

ERRATA

We wish to apologise for the number of errata in this volume, and the poor quality of several figures. Despite our best efforts it has unfortunately not been possible to bring the publication to a higher standard.

Page Errata

- 24, 25 Fig. 2 should be numbered Fig. 3 and vice versa.
62 The inset map should show the position of the study area within the USSR.
84 Fig. 1 should be an inset to Figs. 1A and 1B on page 85.
85 Fig. 1: the lower figure is A, referring to 1977-78 and the upper is B, referring to 1988-89.
99 Fig. 3: Legend should read "... summed number of degrees of cold ...". Bottom axis marks should be 0, 50, 100, ... 300.
114 Fig. 7: All the points shown should be joined together.
Fig. 8: Gaps in data shown by unjoined lines were indistinct, and should have been shown thus:




Figure 8. Annual maximum number of Mute Swans in moulting flocks at Lake IJsselmeer and Lake Grevelingen in July or August.

- 116 Fig. 9: ALL the upper bars of the figures should be shaded and refer to 'SHOT' birds. The lower axis legend is indistinct, and should give each bar as years 1970 ... 1989.
151 First author is P. Walter not P.J. Walter.
152 Equation A should read:
Date of Lay = 129
+ -6.3 * (Mean Winter Temperature)
+ [-8.8 if pen SS; -4.7 if pen SF; -0.0 if pen FF]
+ p + e

154

Equation 4 should read:

$$\begin{aligned} \text{Number of Cygnets Fledged} &= 1.17 \\ &+ 0.56 * (\text{Clutch Size}) \\ &+ -0.000091 * (\text{Hatchdate}^2) \\ &+ [+0.0 \text{ if pen SS}; +0.61 \text{ if pen SF}; +0.012 \text{ if pen FF}] \\ &+ e'' \end{aligned}$$

Equation 5 should read:

$$\begin{aligned} \log_e [p/(1 - p)] &= 1.20 \\ &+ -0.000064 * (\text{Hatchdate}^2) \\ &+ [+0.0 \text{ if pen SS}; +0.43 \text{ if pen SF}; +0.02 \text{ if pen FF}] \\ &+ [+0.0 \text{ if cob SS}; -0.24 \text{ if cob SF}; +0.48 \text{ if cob FF}] \\ &+ e \end{aligned}$$

178

Fig. 1: The breeding range should be lightly shaded as below:




Fig. 1. Range of the Tundra Swan and location of study sites.

190

Fig. 2c: The open dots in the three sub-figures 2c were not distinct and should appear as below:




Fig. 2. Distribution of reports of Whooper Swans neckbanded at three localities in Iceland and resighted or recovered overseas: (a) direct reports in October-December, (b) direct reports in January-April, (c) indirect reports in October-December (dots) and January-May (circles).




Figure 6. The pattern of spring arrival of swans in the Ukraine in 1975-89.

- 1. - Isophenes**
- 2. - Probably isophenes**
- 3. - Main direction of flight**




Figure 5 Bewick's Swan numbers in lake Lauwersmeer in relation to *Potamogeton* feeding and feeding on waste root crops. Horizontal bars indicate contemporary periods of high water levels, when *Potamogeton* tubers could not be reached by the swans.

- 255 Authors were: E.C. Rees & J.M. Bowler, Wildfowl & Wetlands Trust, Slimbridge, Gloucestershire, GL2 7BT, England.
- 311 Legend to Fig. 1 should include the standard male, ♂, and female, ♀, signs. The figure is presented upside-down.
- 312 Figs. 2a and 2b are also presented upside-down.

SECTION SIX: BIOMETRICS, PHYSIOLOGY AND GENETICS

Laying date and clutch size in relation to body weight in the Mute Swan <i>Cygnus olor</i> (J. H. Beekman)	279
Growth and biometry of Mute Swan <i>Cygnus olor</i> cygnets in Groningen, the Netherlands (J. J. deLeeuw & J. H. Beekman)	288
Biometrics and timing of primary moult of non-breeding Mute Swans <i>Cygnus olor</i> at Lake IJsselmeer, the Netherlands (K. van Dijk & M. R. van Eerden)	296
<i>Cygnus olor immutabilis</i> in Poland (M. Wieloch & A. Czapulak)	304
Alloparental behaviour in Mute Swans <i>Cygnus olor</i> detected by DNA fingerprinting (A. Meng & D. T. Parkin)	310
Daily time and energy budgets in Whooper Swans <i>Cygnus cygnus</i> and Bewick's Swans, <i>C. bewickii</i> in the breeding period (S. K. Kritsov & Yu. N. Mineyev)	319
Population genetics of the Mute Swan <i>Cygnus olor</i> with especial reference to colonial breeding (P. J. Bacon & C. M. Perrins)	322
Plasma LH concentrations in Mute Swans <i>Cygnus olor</i> of different ages during spring (A. Dawson & A. E. Coleman)	323
Moult and dispersal of Mute Swans <i>Cygnus olor</i> in East Scotland (C. J. Spray & N. Atkinson)	325
The biology of incubation in Black Swans <i>Cygnus atratus</i> : preliminary results (C. Brugger & M. Taborsky)	326

SECTION SEVEN: MANAGEMENT AND CONSERVATION

Models of swan population dynamics and growth - a review (P. J. Bacon & J. Beekman)	327
On the use of capture-recapture methods for studying swans (J. Bart)	336
Methods of band survival analysis applied to studies of the Tundra Swan <i>Cygnus columbianus</i> (H. A. Allen, W. J. L. Sladen & R. J. Limpert)	340
Trumpeter Swan <i>Cygnus buccinator</i> range expansion programs in the northern Rocky Mountains, USA (R. Shea, D. C. Lockman & C. D. Mitchell)	348
Causes of mortality in Trumpeter Swans <i>Cygnus buccinator</i> in Minnesota 1986-89 (L. A. Degernes & R. K. Frank)	352
Mortality in Tundra Swans <i>Cygnus columbianus</i> (J. C. Bartonek, J. R. Serie & K. A. Converse)	356
Harvest management of Tundra Swans <i>Cygnus columbianus</i> in North America (J. R. Serie & J. C. Bartonek)	359
Swans should not be hunted (W. J. L. Sladen)	368
Current conservation status and problems of swan population management in the USSR (Yu. M. Schadilov)	376
The impact of hunting on a protected species, the Whooper Swan <i>Cygnus cygnus</i> at Lake Constance (M. Schneider-Jacoby, P. Frenzel, H. Jacoby, G. Knotzsch & K. H. Kolb)	378
Lead poisoning in Mute Swans <i>Cygnus olor</i> in England (J. Sears & A. E. Hunt)	383
Lead poisoning in Mute Swans <i>Cygnus olor</i> in Ireland: a review (J. O'Halloran, A. A. Myers & P. F. Duggan)	389
Treatment of lead poisoning in Trumpeter Swans <i>Cygnus buccinator</i> (L. A. Degernes)	396
Recommendations (M. Moser)	398

Editorial

The Third International Swan Symposium would not have been possible but for the enthusiasm and dedication of all those with an interest in swans around the world. We would like to thank everyone who attended the Symposium. It was particularly pleasing to welcome 12 delegates from the USSR and to enjoy the spirit of East-West co-operation. We look forward to the Fourth International Symposium to be held in Odessa in 1994. Unfortunately it was not possible to publish full versions of all the papers and posters presented at the Symposium since the end result would be heavier than the average male Mute Swan! We hope that this volume is at least a manageable length and will be more widely read as a result. We apologise to all those whose papers were shortened but urge them to publish fuller versions elsewhere.

We are very pleased to be able to publish 15 contributions from the USSR. Owing to the non-conventional format of some of these papers we have made use of the editorial discretion granted to us by the authors. We hope that they agree with our changes. There are many people who deserve thanks. Simon Nash and Chris Spray helped greatly in organising the programme and ensuring the smooth running of the meeting. The International Committee assisted in choosing the talks, a difficult task when so many good ones were offered. Several colleagues chaired sessions and summarised the discussions, and the speakers gave their chairpersons an easy task by keeping well to time. We are particularly grateful to the many referees who helped us considerably, especially when English was not the author's first language. The meeting would not have been possible but for the generous sponsorships from: Anglian Water Services Ltd, NRA - Northumbrian Region, The Royal Society, NRA - Thames Region, The Water Research Centre, The Worshipful Company of Dyers, The Worshipful Company of Vintners. We are grateful to Dr Brian Bertram, His Royal Highness Prince Fumihito, Dr Chris Perrins and Sir William Wilkinson for attending the opening ceremony, and The Lord Mayor of Oxford, Mrs Patsy Yardley, who attended the conference reception and dinner. Jan Dunning, Irena Redman and Mike Wilson translated several of the Russian papers and assisted with interpretation during the symposium.

Jane Sears and Philip Bacon
IWRB Swan Research Group

